



PORT ASSIGNMENT (FRONT VIEW OF JACK)



| LED 2 & 4 POLARITY | | | LED 1 & 3 POLARITY | | |
|--------------------|--------|-------|--------------------|--------|--------|
| PIN 9 | PIN 10 | COLOR | PIN 11 | PIN 12 | COLOR |
| + | - | GREEN | + | - | YELLOW |


LED 2 & 4


VF (FORWARD VOLTAGE) IF = 20 mAGREEN 2.2V TYP. 人D (DOMINANT WAVELENGTH) IF=20mA GREEN 570nm TYP.

LED 1 & 3


В


VF (FORWARD VOLTAGE) IF = 20mAYELLOW 2.1V TYP. 人D (DOMINANT WAVELENGTH) IF=20mA YELLOW 590nm TYP.






PORT ASSIGNMENT (PCB - COMPONENT SIDE VIEW)






THE SHADED AREA ON THE CUSTOMER BOARD IS RECOMMENDED TO BE CLEAR OF ANY VIA HOLE OR COMPONENT PAD.



PIN-OUT INFORMATION (PCB - COMPONENT SIDE VIEW)



SHEET NO. 2 OF 3

a bel group 2X4 SHIELDED STACKJACK WITH GREEN/YELLOW UPPER AND LOWER LEDS

11118 Susquehanna Trail South Glen Rock, PA 17327-9199 (717) 235-7512

http://www.stewartconnector.com

В



DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE THIS DRAWING AND THE SUBJECT MATTER SHOWN THEREON ARE DIMENSIONS: INCHES [METRIC] UNLESS OTHERWISE SPECIFIED TOLERANCES ARE ±.010 [0.25] ANGLES ARE ± 1*

CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF STEWART CONNECTOR
AND SHALL NOT BE REPRODUCED, COPIED, OR USED IN ANY MANNER WITHOUT
PRIOR WRITTEN CONSENT OF STEWART CONNECTOR. THIS PRODUCT MAY BE PROTECTED BY ONE OR MORE OF THE FOLLOWING US PATENTS: 5791942 6217391 6368159 6419526 6602097 687722 6964587 7048590 7086909 7568950 7686650 OTHER PATENTS MAY BE PENDING.

9-9-15 APPD BY: 9-10-15 CT740220

AutoCAD

